## A C JOSHI LIBRARY PANJAB UNIVERSITY, CHANDIGARH. 1600014.

Dr. Raj Kumar	Tele Fax: (0172-2548159) 2534551
University Librarian	Mobile: 9417461789
	E-mail: <u>librarian@pu.ac.in</u>
	<u>rajkumar196@yahoo.co.in</u>
No/PUL	Dated :
То	

Subject: Quotation for purchase and installation of CCTV Cameras in A.C. Joshi Library.

Dear Sir/Madam,

Sealed quotations are invited by the A.C. Joshi library for the purchase and installation of CCTV Cameras (30 Cameras approx.) in A.C. Joshi Library as per the enclosed specifications and terms and conditions.

The quotation in sealed envelopes mentioning clearly the terms and conditions of the University and as per the specifications mentioned by the University may please sent to University, Librarian, A.C. Joshi Library, Panjab University, Chandigarh by **08.03.2016 upto 3:00 p.m.** The bidders are advised to visit the site i.e., A.C. Joshi Library before submission of the quotation. The vendors are required to submit the quotation in two bid system i.e., one is technical bid and the second is financial bid. Two separate envelopes contained in one clearly mentioning Technical bid and Financial bid on the envelopes are required to be submitted by the vendor.

The cheque/demand draft of Earnest money deposit may please be attached with the technical bid. The firms who have already submitted the earnest money need not deposit the same again as their earlier EMD cheques/DD will be considered.

Kindly attach the documentary proofs for terms and conditions mentioned at S.No.1,2, 3,7,8,12 and 14 along with the technical specifications. Those firms/bidders who fail to attach the documentary proofs in support of the above mentioned serial numbers in terms and conditions will not be considered.

Yours truly,

(Dr. Raj Kumar) University Librarian

## A.C. Joshi Library Panjab University, Chandigarh

Please note: Unit prices for all the items (S.No.1-13) should be mentioned separately in the financial bid.

	Installation of CCTV	Surveillance Systen	n(30 Approx.)		
	Technical Specification of CCTV cameras				
Sr.No.	Item name	Specifications offered	Compliance to RFP Specification Whether YES/ NO	In case of non-compliance, deviation from RFP to be specified in unambiguous terms	
1.	3 Megapixel IR IP bullet/ dome colored camera				
	Camera Make: Bosch/Honeywell/Sony/Hikviso n/Dahua (Vendor should be authorized dealer of the Company and the certificate for the same should be attached). The price should be clearly mentioned against the brand of the Camera.				
	Image Sensor	1/3"3Megapixel progressive scan CMOS or Batter			
	Effective Pixels	2046(H)x1536(V)			
	Scanning System	Progressive			
	Electronic Shutter Speed	Auto/Manual, 1/3(4)~1/100000			

	S	
	0.01Lux/F2.0	
	Color),	
Min. Illumination	0Lux/F2.0(IR on)	
S/N Ratio	More than 50dB	
Camera Features	Wore than 30db	
	20m	
 Max. IR LEDs Length	30m	
	Auto(ICD)/Color/	
Day/Night	Auto(ICR)/Color/ B/W	
Day/Nigitt	B) VV	
	BLC / HLC /	
Backlight Compensation	WDR(120dB)	
	,	
White Balance	Auto/Manual	
	1 (3.55) 1113113131	
Gain Control	Auto/Manual	
Gain Control	, rate, manaar	
Noise Reduction	3D	
Noise Reduction	35	
Privacy Masking	Up to 4 areas	
Filvacy Wiasking	Op to 4 areas	
Long		
Lens	2 6 2 2 2	
Focal Length	3.6mm	
	52.0/52.0/52.0)	
Max Aperture	F2.0(F2.0/F2.0)	
Focus Control	Manual	
Angle of View	H: 84°/106°/56°	
Lens Type	Fixed lens	
Mount Type	Board-in Type	
Video		
	H.264/H.264B/H.	
Compression	264H/ MJPEG	

3M(2046X 1536))/1080P(19 20× 10	
80)/720P(1280× 720)/D1(704× 576/704× 480)/CIF(352× 288/352× 24	
0)	
3M(1~25/30fps) D1/CIF(1 ~ 25/30fps)	
720P(1-20fps)	
H.264: 32Kbps ~	
10Mbps	
Support	
G.711a/ G.711u/ AAC	
1/1 channel In/Out	
Tripwire	
Intrusion	
Abandoned/Missi ng	
Scene Change	
Face detect	
21.45	
RJ-45 (10/100Base-T)	
IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP,	
	1536))/1080P(19 20× 10  80)/720P(1280× 720)/D1(704× 576/704× 480)/CIF(352× 288/352× 24  0)  3M(1~25/30fps)  D1/CIF(1 ~ 25/30fps)  720P(1-20fps)  H.264: 32Kbps ~ 10Mbps  Support  G.711a/ G.711u/ AAC  1/1 channel In/Out Tripwire Intrusion Abandoned/Missi ng Scene Change Audio detect Face detect  RJ-45 (10/100Base-T)  IPv4/IPv6, HTTP, HTTPS, SSL,

	UPnP, ICMP,	
	IGMP, SNMP,	
	RTSP, RTP, SMTP,	
	NTP, DHCP, DNS,	
	PPPOE, DDNS,	
	FTP, IP Filter,	
	QoS,	
	Bonjour, 802.1x	+
Compatibility	ONVIF	
Compatibility	ONVIF	
 Max. User Access	10 users	
IVIAX. USEI ACCESS	10 users	
	iPhone, iPad,	
	Android,	
Smart Phone	Windows Phone	
Auxiliary Interface		
	Micro SD Max	
Memory Slot	128GB	
	1/1 channel	
Alarm	In/Out	
General		
	DC12V, PoE	
Power Supply	(802.3af)	
Davier Consumention	NAOV E EVAL	
Power Consumption	Max 5.5W	
	-20°C~+50°C,	
	Less than 95%	
Working Environment	RH	
Ingress Protection	IP67	
Vandal Resistance	IK10	
 Certifications		

2.	1.3 Megapixel progressive colored IR IP		
	Camera Make : Bosch/Honeywell/Sony/Hikviso n/Dahua		
	Image Sensor	1/3" 1.3Megapixel progressive scan CMOS	
	Effective Pixels	1280(H) 2 960(V)	
	Scanning System	Progressive	
	Electronic Shutter Speed	Auto/Manual, 1/3s~1/30000s	
	Min. Illumination	0. 08Lux/F2.1(Color ), 0Lux/F2.1(IR on)	
	S/N Ratio	More than 50dB	
	Camera Features		
	Max. IR LEDs Length	30m	
	Day/Night	Auto(ICR)/Color/ B/W	
	Backlight Compensation	BLC / HLC / DWDR	
	White Balance	Auto/Manual	
	Gain Control	Auto/Manual	
	Noise Reduction	3D	
	Privacy Masking	Up to 4 areas	
	Focal Length	3.6mm	

F2.1(F2.6)	
Manual	
H: 71°(47°)	
Fixed lens	
Board-in Type	
H.264/ H.264H/ H.264B/ MJPEG	
1.3M(1280x960)/ 720P(1280× 720)/D1(704×	
/CIF(352× 288/352× 240)	
1.3M/720P(1 ~ 25/30fps)	
D1(1 ~ 25/30fps)	
H.264: 4kbps~ 8192bps	
RJ-45 (10/100Base-T)	
IPv4/IPv6, HTTP, HTTPS, TCP/IP, UDP, UPnP, ICMP, IGMP, RTSP, RTP,	
SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter,	
	Manual   H: 71°(47°)     Fixed lens     Board-in Type     H.264/ H.264H/     H.264B/ MJPEG     1.3M(1280×960)/     720P(1280×     720)/D1(704×     576/704×     480)     /CIF(352×     288/352×     288/352×     240)     1.3M/720P(1 ~     25/30fps)     D1(1 ~ 25/30fps)     H.264: 4kbps ~     8192bps     RJ-45

	Compatibility	ONVIF	
	Max. User Access	10 users	
		iPhone, iPad,	
		Android,	
	Smart Phone	Windows Phone	
		DC12V, PoE	
	Power Supply	(802.3af)	
	Power Consumption	<5.5W(IR on)	
		-30°C~+60°C,	
		Less than 95%	
	Working Environment	RH	
		1.000	
	Waterproof Rating	IP66	
	Certifications	UL,CE,FCC	
	32 CH 32		
3.	32 CH NVR Network Video		
	Recorder		
		Embedded	
	Operating System	LINUX	
		Dual-core	
		embedded	
	Main Processor	processor	
	IP Camera Input	32 channel	
		1channel Input,	
		1channel	
	Two-way Talk	Output, RCA	
		1 HDMI, 1 VGA,	
	Interface	1 TV	
		1920× 1080,	
		1280× 1024,	
	Pacalutian	1280× 720,	
	Resolution	1024× 768	
	Display Split	1/4/9/0/16	
	Display Split	1/4/8/9/16	

1	Carrage +:+ a	
	Camera title,	
	Time, Video loss,	
	Camera lock,	
	Motion	
	detection,	
OSD	Recording	
Recording		
Compression	H.264/MJPEG	
	,	
	5Mp(2560×	
	1920)/3Mp(	
	2048× 1536)	
	/1080P(1920×	
	1080) /	
Decalution		
Resolution	720P(1280× 720)	
	/ D1 (704×	
	576/704×	
	480)&etc.	
Record Rate	200Mbps	
Bit Rate	48~ 8192kbps	
Dit Nate	46 61928005	
	Manual,	
	Schedule(Regula	
	r(Continuous),	
	MD, Alarm),	
Record Mode	Stop	
	1~120 min	
	(default: 60	
	min), Pre-record:	
	1~30 sec, Post-	
	record: 10~300	
Record Interval	sec	
	Recording, PTZ,	
	Tour, Alarm,	
	Video Push,	
	Email, FTP,	
	Snapshot, Buzzer	
Trigger Events	&	
III88CI LVCIICS	Screen tips	
	Screen tips	
	Motion	
Video Detection	Detection, MD	
VIGEO DETECTION	שבוכנוטוו, ואוט	

	Zones: 396(22×	
	18), Video Loss	
	& Camera Blank	
Alarm Input	16 channel	
7 daim mpac	To chamer	
Relay Output	4 channel	
Playback & Backup	Tenamer	+
Sync Playback	1/4/9/16	
	, , , , ,	
	Time/Date,	
	Alarm, MD &	
	Exact search	
	(accurate to	
	second), Smart	
Search Mode	search	
Search Mode	Scarcin	+
	Play, Pause,	
	Stop, Rewind,	
	Fast play, Slow	
	play, Next file,	
	Previous file,	
Playback	Next	
·	camera,	
	Previous	
	camera, Full	
	screen, Repeat,	
	Shuffle, Backup	
Function	selection,	
	Digital zoom	
	USB	
	Device/Network	
	/Internal SATA	
	burner/eSATA	
Backup Mode	Device	
Network		
	1 RJ-45 port	
	(10/100/1000M	
Ethernet	bps)	
	HTTP, TCP/IP,	
1	IPv4/IPv6, UPNP,	
Network Function	RTSP, UDP,	

		SMTP, NTP, DHCP, DNS, IP Filter, PPPOE, DDNS, FTP, alarm Server, IP search (Support IP Camera, DVR, NVS and etc.)	
	Max. User Access	128 users	
	WIGH. OSCI ACCESS	120 03013	
4.	4TB Hard Disk	WD/Seagate	
5.	Power Supply	1 2 V/2Amp	
6.	8 Port Switch Gigabit		
7.	Outdoor housing with mounting		
8.	16 Port Switch Gigabit		
9.	Cat-6 Twisted Pair Cable with connector (Molex)		
10.	Power Cable (ISI Mark)		
11.	NVR Rack		
12.	PVC Conduit Pipe with Assembly		
13.	Installation & laying Charges		

## Terms & Conditions

- 1. The Bidder Should be ISO Certified Company.
- 2. Bidder must have working experience with Govt. /Non Govt. Organization /institution/universities and satisfactory Service report should be attached for minimum of 3 Organizations regarding the same and the Company should be at least 5 years old in Security Surveillance System. Bidder must have a working office in Punjab or in Chandigarh and have to submit the proof thereof.
- 3. The Average turn –over of the Bidder for the Last Three years should not be less than 8 lakh and also provide the proof of Income Tax, Sale Tax and service tax of the last 3 years. Registration copy of Service Tax or Tin Number / Vat registration copy to be provided.
- 4. Your quotation must reach this office not later than 3:P.M. on the date of opening of the quotation. Both the technical and financial Bid should be kept in two separate sealed envelopes and should super scribe "Technical Bid " and "Financial Bid " in bold letters. Quotations sent by hand delivery should be given to the diarist in the AC Joshi library, PU not later than 3: 00 P.M. on the due date. The demand draft/cheque of earnest money be enclosed with the Technical bid of the quotation.
- 5. All the quotations should be addressed to the University Librarian, A.C. Joshi Library, Panjab University, Chandigarh. The contractor should quote rates of each item both in figures and words.
- 6. During working hours the person can visit the AC Joshi Library to see the place where CCTV cameras be placed.
- 7. The Vendor/Agency should also provide warranty period of one year.
- 8. Quotation copy would categorically confirm that they will give **free** "after sales services" during warranty period for a period of 12 months from the date of installation, satisfactory commissioning and handing over the project/ equipment;
- 9. Rs. 8000/-as earnest money is also to be deposited in lieu of the quotation for installation of CCTV Cameras in A.C. Joshi library and has to be paid in the form of Demand draft in favor of "Registrar, Panjab University Chandigarh " from any nationalized bank. The institute would return the EMD to the successful bidder firm on the summation of the performance bank guarantee (PBG).
- 10.5% performance security will be deducted from the bill and will be released after one year.

- 11. The successful vendor shall be required to furnish a contract Performance Guarantee bond in the shape of bank guarantee pledged in favor of **Registrar**, **Panjab University**, **Chandigarh** for an amount equal to 10% of the cost of the project. The Bank Guarantee should be valid for 18 months. The Bank Guarantee for 10% of the contract value shall be submitted within a period of 30 days after the placement of the supply order failing which the order will be liable to be cancelled and the earnest money forfeited.
- 12. The offer should be valid for a period of 365 days from the date opening of quotation.
- 13. The payment to the firm will be made within 45 days after the installation of CCTV system.
- 14. The vendor/agency should give an undertaking in the form of affidavit that it has not been black listed by any Government / Autonomous/ PSU type organizations, etc.
- 15. The courts at Chandigarh alone will have the jurisdiction to try any matter, dispute or reference between the parties arising out of this agreement/ contract. It is specifically agreed that no court outside and other than Chandigarh court shall have jurisdiction in the matter.
- 16. The University reserves to itself the right to accept or reject any or all of the quotations without assigning any reasons thereof.